

CITY OF HOPE PAIN & PALLIATIVE CARE RESOURCE CENTER

Complementary Pain Management Bibliography

- Albaugh, J. A. (2003). Spirituality and life-threatening illness: A phenomenologic study. *Oncology Nursing Forum*, 30(4), 593-598.
- American Cancer Society (ACS). (2000). *American Cancer Society's guide to complementary and alternative cancer methods*. Atlanta, GA: Author.
- Andren-Sandberg, A., Viste, A., Horn, A., Hoem, D. and Gislason, H. (1999). Adult pain management of pancreatic cancer. *Annals of Oncology*, 10 (Suppl 4), 265-8.
- Astin, J. A. (1998). Why patients use alternative medicine: Results of a national study. *Journal of the American Medical Association*, 279(19), 1548-1553.
- Audette, I.M. (1994). The use of humor in intravenous nursing. *Journal of Intravenous Nursing*, 17(1), 25-27.
- Avellanosa, A.M., & West, C.R. (1982). Experience with transcutaneous electrical nerve stimulation for relief of intractable pain in cancer patients. *Journal of Medicine*, 13(3), 203-213.
- Bailey, L.M. (1983). The effects of live music versus tape-recorded music on hospitalized cancer patients. *Music Therapy*, 3(1), 17-28.
- Bailey, L.M. (1983). Music therapy as an intervention in pain management. In *Handbook on interventions in pain management*. New York-New Jersey: Cancer Nursing Regional Committee.
- Bailey, L.M. (1986). Music therapy in pain management. *Journal of Pain and Symptom Management*, 1(1), 25-28.
- Balinsky, A.A. (1998). Use of western Australian flower essences in the management of pain and stress in the hospital setting. *Complementary Therapies in Nursing & Midwifery*, 4(4), 111-117.
- Barbour, L.A., McGuire, D.B., & Kirchhoff, K.T. (1986). Nonanalgesic methods of pain control used by cancer outpatients. *Oncology Nursing Forum*, 13(6), 56-60.
- Beck, S. (1991). The therapeutic use of music for cancer-related pain. *Oncology Nursing Forum*, 18(8), 1327-1337.
- Bellert, J.L. (1989). Humor: A therapeutic approach in oncology nursing. *Cancer Nursing*, 12(2), 65-70.
- Bennett, M., & Lengacher, C. (1999). Use of complementary therapies in a rural cancer population. *Oncology Nursing Forum*, 26(8), 1287-1294.
- Berman, B.M., Jonas, W. & Swyers, J.P. (1998). Issues in the use of complementary/alternative medical therapies for low back pain. *Physical Medicine & Rehabilitation Clinics of North America*, 9(2), 497-513.
- Bertman, S. L. (Ed.). (1995). *Grief and healing arts: Creativity as therapy*. (p. 2). Amityville, NY: Baywood Publishing Company.
- Birch, S. and Sherman, K. (1999). Zhong Yi acupuncture and low-back pain: Traditional Chinese medical acupuncture differential diagnoses and treatments for chronic lumbar pain. *Journal of Alternative & Complementary Medicine*, 5(5), 415-425; discussion 427-428.

Complementary Pain Management Bibliography 2

- Bonny, H. (1990). *Music and your mind: Listening with a new consciousness*. Port Townsend, Washington: ICM Press.
- Bradley, L.A., Alberts, K.R. (1999). Psychological and behavioral approaches to pain management for patients with rheumatic disease. *Rheumatic Diseases Clinics of North America*, 25(1), 215-232.
- Buckle, J. (1999). Use of aromatherapy as a complementary treatment for chronic pain. *Alternative Therapies in Health & Medicine*, 5(5), 42-51.
- Buckle, J. (2001). The role of aromatherapy in nursing care. *Nursing Clinics of North America*, 36(1), 57-72.
- Buckley, J. (2002). Massage and aromatherapy massage: Nursing art and science. *International Journal of Palliative Nursing*, 8(6), 276-280.
- Budilovsky, J. & Adamson, E. (1998). *The complete idiot's guide to massage*. Indianapolis, IN: Pearson Education Company.
- Buxman, K. (1991). Making room for humor. *American Journal of Nursing*, 91(12), 46.
- Byrne, M. (2002). Spirituality in palliative care: What language do we need? *International Journal of Palliative Nursing*, 8(2), 67-74.
- Cadwell, V. (1998). A primer on acupuncture. *Journal of Emergency Nursing*, 24(6), 514-517.
- Campbell, D. (1991). *Music: Physician for times to come*. Wheaton, IL: Quest Books.
- Campos, R.G. (1994). Rocking and pacifiers: Two comforting interventions for heelstick pain. *Research in Nursing & Health*, 17(5), 321-331.
- Campos, R.G. (1989). Soothing pain-elicited distress in infants with swaddling and pacifiers. *Child Development*, 60(4), 781-792.
- Carroll, D. & Seers, K. (1998). Relaxation for the relief of chronic pain: A systematic review. *Journal of Advanced Nursing*, 27(3), 476-487.
- Chapman, C.R., & Gavrin, J. (1999). Suffering: The contributions of persistent pain. *Lancet*, 353(9171), 2233-2237.
- Clark, C. C. (1999). *Integrating complementary procedures into practice*. New York, NY: Springer Co.
- Clark, C. C., Gordon, R. J., & Harris, B. (1999). *Encyclopedia of complementary health practice*. New York, NY: Springer Co.
- Cogan, R., Cogan, C., Waltz, W., & McCue, M. (1987). Effects of laughter and relaxation on discomfort thresholds. *Journal of Behavioral Medicine*, 10(2), 139-144.
- Cook, J.D. (1986). Music as an intervention in the oncology setting. *Cancer Nursing*, 9(1), 23-28.
- Cooke, J. (1981). The therapeutic use of music: A literature review. *Nursing Forum*, 20(3), 253-265.
- Cox, G. (1998). Using humor, art and music with dying and bereaved children. *Illness, Crisis, and Loss*, 6(4), 408-420.
- Cox, G. (2000). Children. Spirituality and loss. *Illness/Crisis and Loss* 8(1), 60-70.
- Cuellar, N.G., Cahill, B. Ford, J., & Aycock, T. (2003). The development of an educational workshop on complementary and alternative medicine: What every nurse should know. *The Journal of Continuing Education in Nursing*, 34(3), 128-135.
- Curtis, S. (1986). The effect of music on pain relief and relaxation of the terminally ill. *Journal of Music Therapy*, 23(1), 10-24.

Complementary Pain Management Bibliography 3

- Daake, D.R., & Gueldner, S.H. (1989). Imagery instruction and the control of postsurgical pain. *Applied Nursing Research*, 2(3), 114-120.
- Daaleman, T. P., & VandeCreek, L. (2000). Placing religion and spirituality in end-of-life care. *Journal of the American Medical Association*, 284(19), 2514-2517.
- Daveson, B. (2000). Music therapy in palliative care for hospitalized children and adolescents. *Journal of Palliative Care*, 16(1), 35-38.
- Davies, B., Brenner, P., & Worden, W. (2002). Addressing spirituality in pediatric hospice and palliative care. *Journal of Palliative Care*, 18(1), 59-67.
- Dean, R.A. (1997). Humor and laughter in palliative care. *Journal of Palliative Care*, 13(1), 34-39.
- Decker, G. M. (Ed.). (1999). *An introduction to complementary and alternative therapies*. Pittsburgh, PA: Oncology Nursing Press, Inc.
- Doka, K., & Morgan, J. (1993). *Death and spirituality*. Amityville, NY: Baywood Publishing Co.
- Dossey, B. M., Keegan, L., & Guzzetta, C. (1999). *Holistic nursing: A handbook for practice* (3rd ed.). Gaithersburg, MD: Aspen Publishers.
- Dossey, L. (1996). *Prayer is good medicine*. New York, NY: Harper Collins.
- Dossey, L. (1982). *Space, time & medicine*. Boulder, CO, Shambhala.
- Duldt, B. W. (2002). The spiritual dimension of holistic care. *Journal of Nursing Administration*, 32(1), 20-24.
- Edwards, D. M. (2002). *Voice massage: Scripts for guided imagery*. Pittsburgh, PA: Oncology Nursing Press.
- Eisenberg, D. M., Davis, R. B., Ettner, S. L., Appel, S., Wilkey, S., Van Rompay, M., et al. (1998). Trends in alternative medicine use in the United States, 1990-1997: Results of a follow-up national survey. *Journal of the American Medical Association*, 280(18), 1569-1575.
- Eisenberg, D.M., Kessler, R.C., Foster, C., Norlock, F.E., Calkins, D.R., & Delbarco, T.L. (1993). Unconventional medicine in the United States: Prevalence, costs, and patterns of use. *The New England Journal of Medicine*, 328(4), 246-252.
- Eller, L.S. (1999). Guided imagery interventions for symptom management. *Annual Review of Nursing Research*, 17, 57-84.
- Ernst, E. (1999). Massage therapy for low back pain: a systematic review. *Journal of Pain & Symptom Management*, 17(1), 65-69.
- Ernst, E. (2002). The risk-benefit profile of commonly used herbal therapies: Ginkgo, St. John's Wort, Ginseng, Echinacea, Saw Palmetto, and Kava. *Annals of Internal Medicine*, 136(1), 42-53.
- Ernst, E., & Cassileth, B. R. (1998). The prevalence of complementary/alternative medicine in cancer: A systematic review. *Cancer*, 83(4), 777-782.
- Ernst, E., Rand, J. I., & Stevinson, C. (1998). Complementary therapies for depression: An overview. *Archives of General Psychiatry*, 55(11), 1026-1032.
- Evans, D. (2002). The effectiveness of music as an intervention for hospital patients: A systematic review. *Journal of Advanced Nursing*, 37(1), 8-18.
- Ferrell, B.R., Smith, S.L., & Juarez G. (2003). Meaning of illness and spirituality in ovarian cancer survivors. *Oncology Nursing Forum*, 30(2), 249-257.

Complementary Pain Management Bibliography 4

- Ferrell, B.R., Ferrell, B.A., Ahn, C., & Tran, K. (1994). "Pain management for elderly cancer patients at home." *Cancer*, 74(7 Suppl), 2139-2146.
- Ferrell, B.R., Rhiner, M., & Rivera, L. (1993). Empowering patients to control pain. *Current Issues in Cancer Nursing Practice Updates*, 2(4),1-9.
- Ferrell-Torry, A.T., & Glick, O.J. (1993). The use of therapeutic massage as a nursing intervention to modify anxiety and the perception of cancer pain. *Cancer Nursing*, 16(2), 93-101.
- Fowler, J.W. (1974). Toward a developmental perspective on faith. *Religious Education*, 69, 207-219.
- French, G.M., Painater, E.C., & Courty D.L. (1994). Blowing away shot pain: A technique for pain management during immunization. *Pediatrics*, 93(3), 384-388.
- Fry, W.F. (1991). The physiologic effects of humor, mirth and laughter. *Journal of the American Medical Association*, 267(13), 1857-1858.
- Gecsed, R. A. (2002). Massage therapy for patients with cancer. *Clinical Journal of Oncology Nursing*, 6(1), 52-54.
- Giasson, M., & Bouchard, L. (1998). Effect of therapeutic touch on the well being of persons with terminal cancer. *Journal of Holistic Nursing*, 16(3), 383-389.
- Gibson, L. (1990). Comic relief. *Nursing Times*, 86(38), 50-51.
- Gorman, K. (1999). Sickle cell disease. Do you doubt your patient's pain? *American Journal of Nursing*, 99(3), 38-43; quiz 44.
- Graffam, S., & Johnson, A. (1987). A comparison of two relaxation strategies for the relief of pain and its distress. *Journal of Pain and Symptom Management*, 2(4), 229-231.
- Grealish, L., Lomasney, A., & Whiteman, B. (2000). Foot massage. A nursing intervention to modify the distressing symptoms of pain and nausea in patients hospitalized with cancer. *Cancer Nursing*, 23(3), 237-243.
- Gum, A. & Snyder, C. R. (2002). Coping with terminal illness: The role of hopeful thinking. *Journal of Palliative Medicine*, 5(6), 883-894.
- Haight, B.K., & Webster, J.D. (Eds.). (1995). *The art and science of reminiscing: Theory, research, methods, and applications*. Washington, DC: Taylor & Francis.
- Hargreaves, A., & Landers, J. (1989). Use of transcutaneous electrical stimulation for postoperative pain. *Nursing Research*, 38(3), 159-161.
- Halstead, M. T., & Roscoe, S. T. (2002). Restoring the spirit at the end of life: Music as an intervention for oncology nurses. *Clinical Journal of Oncology Nurses*, 6(6), 332-336.
- Hermann, C. P. (2001). Spiritual needs of dying patients: A qualitative study. *Oncology Nursing Forum*, 28(1), 67-72.
- Herth, K. (1990). Contributions of humor as perceived by the terminally ill. *American Journal of Hospital Palliative Care*, 7(1), 36-40.
- Highfield, M. E. F. (2000). Providing spiritual care to patients with cancer. *Clinical Journal of Oncology Nursing*, 4(3), 115-120.
- Hinds, P.S., Quargenti, A., Fairbough, D., Bush, A.J., Betcher, D., Rissmiller, G., et al. (1999). Hopefulness and its characteristics in adolescents with cancer. *Western Journal of Nursing Research*, 21(5), 600-620.
- Hinshaw, D.B. (2002). The spiritual needs of the dying patient. *Journal of American College of Surgeons*, 195(4), 565-569.

Complementary Pain Management Bibliography 5

- Hoffart, M. B., & Keene, E. P. (1998). The benefits of visualization. *American Journal of Nursing*, 98(12), 44-47.
- Holt-Ashley, M. (2000). Nurses pray: Use of prayer and spirituality as a complementary therapy in the intensive care setting. *AACN(American Association of Critical Care Nurses) Clinical Issues*, 11(1), 60-67.
- Hooker, S.D., Freeman, L.H., & Stewart, P. (2002). Pet therapy research: A historical view. *Holistic Nursing Practice*, 16(5), 17-23.
- Howell, S.L. (1998). Nonpharmacologic management of intractable pain. *Colorado Nurse*, 98(4), 23, 25-26.
- Hrezo, R.J. (1998). Hypnosis: an alternative in pain management for nurse practitioners. *Nurse Practitioner Forum*, 9(4), 217-226.
- Jacobson, J. S., Workman, S. B., & Kronenberg, F. (2000). Research on complementary/alternative medicine for patients with breast cancer: A review of the biomedical literature. *Journal of Clinical Oncology*, 18(3), 668-683.
- Jacox, A., Carr, D.B., Payne, R., Berde, C.B., Breitbart, W., Cain, J.M., et al. (1994). Management of cancer pain: Clinical practice guideline No. 9. Rockville, MD: Agency for Health Care Policy and Research, U.S. Department of Health and Human Services, Public Health Services.
- Johnston-Taylor, E. (1999). Caring for the spirit. In C. C. Burke (Ed.), *Psychosocial dimensions of oncology nursing care* (pp. 53-75). Pittsburgh, PA: Oncology Nursing Press, Inc.
- Johnston-Taylor, E. (2001). Spirituality, culture, and cancer care. *Seminars in Oncology Nursing*, 17(3), 197-205.
- Jordan, M. L., & Delunas, L. R. (2001). Quality of life and patterns of nontraditional therapy use by patients with cancer. *Oncology Nursing Forum*, 28(7), 1107-1113.
- Jull, G.A., & Richardson, C.A. (2000). Motor control problems in patients with spinal pain: A new direction for therapeutic exercise. *Journal of Manipulative & Physiological Therapeutics*, 23(2), 115-117.
- Kaptchuk, T. J. (2002). Acupuncture: Theory, efficacy, and practice. *Annals of Internal Medicine*, 136(5), 374-383.
- Kendall, N.A. (1999). Psychosocial approaches to the prevention of chronic pain: the low back paradigm. *Best Practice & Research in Clinical Rheumatology*, 13(3), 545-554.
- Kessler, R. C., Davis, R. B., Foster, D. F., Van Rompay, M. I., Walters, E. E., Wilkey, S. A., et al. (2001). Long-term trends in the use of complementary and alternative medical therapies in the United States. *Annals of Internal Medicine*, 135(4), 262-268.
- Klagsbrun, J. (2001). Listening and focusing: Holistic health care tools for nurses. *Nursing Clinics of North America*, 36(1), 115-129.
- Kogut, V. (2001). Complementary and alternative dietary therapies. *Clinical Journal of Oncology Nursing*, 5(6), 283-286.
- Kolcaba, K., Dowd, T., Steiner, R., & Mitzel, A. (2004). Efficacy of hand massage for enhancing the comfort of hospice patients. *Journal of Hospice and Palliative Nursing*, 6(2), 91-102.
- Konlian, C. (1999). Aquatic therapy: making a wave in the treatment of low back injuries. *Orthopaedic Nursing*, 18(1), 11-18; quiz 19-20.

Complementary Pain Management Bibliography 6

- Kwekkeboom, K.I., Kneip, J., & Pearson, L. (2003). A pilot study to predict success with guided imagery for cancer pain. *Pain Management Nursing* 4(3), 112-123.
- LaDuke, S.D. (1998). Pain management at the end of life: a critical care perspective. *Journal of the New York State Nurses Association*, 29(2), 9-12.
- Lambert, S.A. (1999). Distraction, imagery, and hypnosis. Techniques for management of children's pain. *Journal of Child & Family Nursing*, 2(1), 5-15; quiz 16.
- Lane, D. (1992). Music therapy: A gift beyond measure. *Oncology Nursing Forum*, 19(6), 863-867.
- Lane, D. (1994). *Music as medicine*. Grand Rapids, MI: Zondervan Publishing House.
- Lane, D. (1993). Music therapy: Gaining an edge in oncology management. *Journal of Oncology Management*, 2(1), 42-46.
- Lee, M. M., Lin, S. S., Wrench, M. R., Adler, S. R., & Eisenberg, D. (2000). Alternative therapies used by women with breast cancer in four ethnic populations. *Journal of the National Cancer Institute*, 92(1), 42-47.
- Levin, J. S., Larson, D. B., & Puchalski, C. M. (1997). Religion and spirituality in medicine: Research and education. *Journal of the American Medical Association*, 278(9), 792-793.
- Linton, S.J., & Melin, L. (1983). Applied relaxation in the management of chronic pain. *Behavioral Psychotherapy*, 11, 337-350.
- Lochner, C.W., & Stevenson, R.G. (1988). Music as a bridge to wholeness. *Death Studies*, 12, 173-180.
- Loeser, J.D. (1999). Economic implications of pain management. *Acta Anaesthesiologica Scandinavica*, 43(9), 957-959.
- Long, D.M. (1998). The current status of electrical stimulation of the nervous system for the relief of chronic pain. *Surgical Neurology*, 49(2), 142-144.
- Lundeberg, T. (1999). Acupuncture in headache. *Cephalalgia*, 19(Suppl 25), 65-68.
- Mackey, B. T. (2001). Massage therapy and reflexology awareness. *Nursing Clinics of North America*, 39(1), 159-169.
- Mackey, R. B. (1995). Complementary modalities. Part I. Discover the healing power of therapeutic touch. *American Journal of Nursing*, 95(4), 26-32.
- Mackey, R.B. (1995). Discover the healing power of therapeutic touch. *American Journal of Nursing*, 95(4), 26-32..
- Main, C.J., & Watson, P.J. (1999). Psychological aspects of pain. *Manual Therapy*, 4(4), 203-215.
- Mainous, R.O. (2002). Infant massage as a component of developmental care: Past, present, and future. *Holistic Nursing Practice*, 16(5), 1-7.
- Malchiodi, C. (Ed). (1998). *Medical art therapy with children*. London, UK: Jessica Kingsley Publishers.
- Markman, M. (2002). Safety issues using complementary and alternative medicine. *Journal of Clinical Oncology*, 20(18s, supplement 15), 39-41.
- Matz, A., & Brown, S. T. (1998). Humor and pain management. A review of current literature. *Journal of Holistic Nursing*, 16(1), 68-75.
- Martin, J. (1991). Music therapy in palliative care. In J. Martin (Ed.). *The next step forward: Music therapy with the terminally ill*, (pp. 3-8). Bronx, N.Y.: Calvary Hospital.

Complementary Pain Management Bibliography 7

- Matz, A., & Brown, S.T. (1998). Humor and pain management. A review of current literature. *Journal of Holistic Nursing, 16*(1), 68-75.
- Mayer, D.J. (2000). Biological mechanisms of acupuncture. *Progress in Brain Research, 122*, 457-477.
- Mayer, D.K. (1985). Nonpharmacologic management of pain in the person with cancer. *Journal of Advanced Nursing, 10*(4), 325-330.
- McCaffery, M. (1990). Nursing approaches to nonpharmacological pain control. *International Journal of Nursing Studies, 27*(1), 1-5.
- McCaffery, M., & Wolff, M. (1992). Pain relief using cutaneous modalities, positioning, and movement. In D.C. Turk and C.S.F. Feldman (Eds.), *Noninvasive approaches to pain management in the terminally ill* (pp. 212-253). New York, NY: The Haworth Press.
- McCaul, K.D., & Malott, J.M. (1984). Distraction and coping with pain. *Psychology Bulletin, 95*(3), 516-533.
- McClellan, R. (1991). *The healing forces of music: History, theory & practice.* Rockport, MA: Element.
- Meehan, T.C. (1998). Therapeutic touch as a nursing intervention. *Journal of Advanced Nursing, 28*(1), 117-125.
- Meek, S.S. (1993). Effects of slow stroke back massage on relaxation in hospice clients. *Image: Journal of Nursing Scholarship, 25*(1), 17-21.
- Mentgen, J. L. (2001). Healing touch. *Nursing Clinics of North America, 36*(1), 143-157.
- Melzack, R., & Wall, P.D. (1984). "Acupuncture and transcutaneous electrical nerve stimulation." *Postgraduate Medical Journal, 60*(710), 893-896.
- Metcalf, C.W. (1987). Humor, life and death. *Oncology Nursing Forum, 14*(4), 19-21, 1987.
- Michlovitz, S.L. (1990). Biophysical principles of heating and superficial heat agent. In S.L. Michlovitz (Ed.), *Thermal agents in rehabilitation* (pp.88-108). Philadelphia: F.A. Davis.
- Minor, M.A., & Sanford, M.K. (1999). The role of physical therapy and physical modalities in pain management. *Rheumatic Diseases Clinics of North America, 25*(1), 233-248, viii.
- Monti, D.A., & Kunkel, E.J. (1998). Management of chronic pain among elderly patients. *Psychiatric Services, 49*(12), 1537-1539.
- Mulloney, S. S., & Wells-Federman, C. (1996). Therapeutic touch: A healing modality. *Journal of Cardiovascular Nursing, 10*(3), 27-49.
- Munro, S. (1985). *Music therapy in palliative/hospice care.* St. Louis, MO: Magnamusic Baton.
- Munro, S., & Mount, B. (1978). Music therapy in palliative care. *Canadian Medical Association Journal, 119*(9), 1029-1034.
- Musgrave, C. F., & McFarlane, E. A. (2003). Oncology and nononcology nurses' spiritual well-being and attitudes toward spiritual care: A literature review. *Oncology Nursing Forum, 30*(3), 523-527.
- National Hospice and Palliative Care Organization (NHPCO). (2001). *Complementary therapies in end-of-life care.* Alexandria, VA: Author.
- Newshan, G. (1998). Transcending the physical: spiritual aspects of pain in patients with HIV and/or cancer. *Journal of Advanced Nursing, 28*(6), 1236-1241.
- O'Connor, C. I. (2001). Characteristics of spirituality, assessment, and prayer in holistic nursing. *Nursing Clinics of North America, 36*(1), 33-46.

Complementary Pain Management Bibliography 8

- O'Connor, P. (1993). Clinical paradigm for exploring spiritual concerns. In K. Doka & J. Morgan (Eds.), *Death and spirituality*. New York, NY: Baywood Publishing Company.
- O'Gorman, M. L. (2002). Spiritual care at the end of life. *Critical Care Nursing Clinics of North America*, 14(2), 171-176.
- Olson, M., Sneed, N., LaVia, M., Virella, G., Bonadonna, R., & Michel, Y. (1997). Stress-induced immunosuppression and therapeutic touch. *Alternative Therapies in Health & Medicine*, 3(2), 68-74.
- Ott, M. J. (1996). Imagine the possibilities! Guided imagery with toddlers and pre-schoolers. *Pediatric Nursing*, 22(1), 34-38.
- Ott, M. J. (2002). Complementary and alternative therapies in cancer symptom management. *Cancer Practice*, 10(3), 162-166.
- Ott, M. J., & Lynch, M. (2002). Integrating complementary and conventional symptom management in a cancer center. *Oncology Nursing Forum*, 29(1), 25-27.
- Ott, M. J., & Mulloney, S. S. (1998). Therapeutic touch: Nurturing the nurse leader. *Nursing Management*, 29(6), 46-48.
- Paltiel, O., Avitzour, M., Peretz, T., Cherny, N., Kaduri, L., Pfeffer, R. M., et al. (2001). Determinants of the use of complementary therapies by patients with cancer. *Journal of Clinical Oncology*, 19(9), 2439-2448.
- Pettinati, P. M. (2001). Meditation, yoga, and guided imagery. *Nursing Clinics of North America*, 16(1), 47-56.
- Pilowsky, I. (1999). Psychiatric approaches to non-cancer pain. *Acta Anaesthesiologica Scandinavica*, 43(9), 889-892.
- Porchet-Munro, S. (1988). "Music therapy in support of cancer patients." *Recent Results in Cancer Research*, 108, 289-294.
- Preece, J. (2002). Introducing abdominal massage in palliative care for the relief of constipation. *Complementary Therapies in Nursing & Midwifery*, 8(2), 101-105.
- Puchalski, C. M. (2002). Spirituality and end-of-life care: A time for listening and caring. *Journal of Palliative Medicine*, 5(2), 289-294.
- Purdy, W. A. (2002). Spiritual discernment in palliative care. *Journal of Palliative Medicine*, 5(1), 139-141.
- Raft, D., Smith, R., & Warren, N. (1986). Selection of imagery in the relief of chronic and acute clinical pain. *Journal of Psychosomatic Research*, 30(4), 481-488.
- Ramler, D., & Roberts, J. (1986). A comparison of cold and warm sitz baths for relief of postpartum perineal pain. *Journal of Obstetrics, Gynecology, and Neonatal Nursing*, 15(6), 471-474.
- Ramnarine-Singh, S. (1999). The surgical significance of therapeutic touch. *Association of periOperative Registered Nurses' Journal*, 69(2), 358-369.
- Rancour, P., & Brauer, K. (2003). Use of letter writing as a means of integrating an altered body image: A case study. *Oncology Nursing Forum*, 30(5), 841-846.
- Reale, C., Orecchioni, A., Luzi, M., Reale, C.A., Laderchi, A., Lapolla, F., & Capucci, M. (1999). Pain from bone metastases: recent therapeutics positioning. *Minerva Medica*, 90(7-8), 247-249.
- Remen, R. N. (1996). *Kitchen table wisdom: Stories that heal*. New York, NY: Riverhead Books.

Complementary Pain Management Bibliography 9

- Rhiner, M, Dean, G. E., & Ducharme, S. (1996). Nonpharmacologic measures to reduce cancer pain in the home. *Home Health Care Management & Practice*, 8(2), 41-47.
- Rhiner, M., Ferrell, B. R., Ferrell, B. A., & Grant, M. M. (1993). A structured non-drug intervention program for cancer pain. *Cancer Practice*, 1(2), 137-143.
- Richardson, M. A., Sanders, T., Palmer, J. L., Greisinger, A., & Singletary, S. E. (2000). Complementary/alternative medicine use in a comprehensive cancer center and the implications for oncology. *Journal of Clinical Oncology*, 18(13), 2505-2514.
- Ritchie, R. (1995). The effects of live harp music vs. tape-recorded harp music on the cardiovascular and respiratory systems of adult patients in hospice care. Unpublished research study, Augsburg College, Minneapolis, MN.
- Russell, R.C. (1999). Palliation of cancer pain and jaundice: an overview. *Annals of Oncology*, 10(Suppl 4), 165-169.
- Samarel, N. (1992). The experience of receiving therapeutic touch. *Journal of Advanced Nursing*, 17(6), 651-657.
- Schroeder-Sheker, T. (1993). Music for the dying; a personal account of the new field of music thanatology - history, theories, and clinical narratives. *Advances: The Journal of Mind-Body-Health*, 74(Winter), 29-33.
- Schmidt, C.M. (1995). The basics of therapeutic touch. *RN*, 58(6), 50-54.
- Schwartzstein, R., Lahive, K., Pope, A., Weinberger, S., & Weiss, J. (1987). Cold facial stimulation reduces breathlessness in normal subjects. *American Review of Respiratory Disease*, 136(1), 58-61.
- Seers, K., & Carroll, D. (1998). Relaxation techniques for acute pain management: a systematic review. *Journal of Advanced Nursing*, 27(3), 466-475.
- Sellick, S.M., & Zaza, C. (1998). Critical review of 5 nonpharmacologic strategies for managing cancer pain. *Cancer Prevention & Control*, 2(1), 7-14.
- Showalter, S.E., & Skobel, S. (1996). Hospice: humor, heartache and healing. *American Journal of Hospice and Palliative Care*, 13(4), 8-9.
- Smith, M. C., Kemp, J., Hemphill, L., & Vojir, C. P. (2002). Outcomes of therapeutic massage for hospitalized cancer patients. *Journal of Nursing Scholarship*, 34(3), 257-262.
- Smith, M., Casey, L., Johnson, D., Gwede, C., & Riggan, O. Z. (2001). Music as a therapeutic intervention for anxiety in patients receiving radiation therapy. *Oncology Nursing Forum*, 28(5), 855-862.
- Snyder, M., & Chlan, L. (1999). Music therapy. *Annual Review of Nursing Research*, 17, 3-25.
- Snyder, M. & Lindquist, R. (Eds). (1998). *Complementary/alternative therapies in nursing* (3rd ed.). New York, NY: Springer Publishing Co.
- Snyder, M., Brandt, C. L., & Tseng, Y. H. (2000). Use of presence in the critical care unit. *AACN (American Association of Critical Care Nurses) Clinical Issues*, 11(1), 27-33.
- Sollner, W., Maislinger, S., DeVries, A., Steixner, E., Rumpold, G., & Lukas, P. (2000). Use of complementary and alternative medicine by cancer patients is not associated with perceived distress or poor compliance with standard treatment but with active coping behavior: A survey. *Cancer*, 89(4), 873-880.
- Sommer, D. (1994). Exploring the spirituality of children in the midst of illness and suffering. *The ACCH (Association for the Care of Children's Health) Advocate*, 1(2), 7-12 (Spring-Summer).

Complementary Pain Management Bibliography 10

- Soliman, N., & Frank, B.L. (1999). Auricular acupuncture and auricular medicine. *Physical Medicine & Rehabilitation Clinics of North America*, 10(3), 547-54.
- Sparber, A., Bauer, L., Curt, G., Eisenberg, D., Levin, T., Parks, S., et al. (2000). Use of complementary medicine by adult patients participating in cancer clinical trials. *Oncology Nursing Forum*, 27(4), 623-630.
- Spiegel, D. (1986). The use of hypnosis in controlling cancer pain. *CA: A Cancer Journal for Clinicians*, 35, 221-231.
- Spiegel, D., & Bloom, J.R. (1983). Group therapy and hypnosis reduce metastatic breast carcinoma pain. *Psychosomatic Medicine*, 45(4), 333-339.
- Spintge, R., & Droh, R. (Eds.) (1989). Music medicine. St. Louis, MO: MMB Music, Inc.
- Spross, J. A., & Burke, M. W. (1995). Nonpharmacological management of cancer pain. In D. B. McGuire, C. H. Yarbro, & B. R. Ferrell. (Eds.), *Cancer pain management* (2nd ed.). Sudbury, MA: Jones and Bartlett Publishers.
- Starn, J.R. (1998). Energy healing with women and children. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 27(5), 576-584.
- Stephenson, N. L., Weinrich, S. P., & Tavakoli, A. S. (2000). The effects of foot reflexology on anxiety and pain in patients with breast and lung cancer. *Oncology Nursing Forum*, 27(1), 67-72.
- Storr, A. (1992). *Music and the mind*. New York, NY: MacMillan,
- Sutcliffe, J. (1994). *The complete book of relaxation techniques*. Allentown, PA: People's Medical Society.
- Syrjala, K. L., Donaldson, G. W., Davis, M. W., Kippes, M. E., & Carr, J. E. (1995). Relaxation and imagery and cognitive-behavioral training reduce pain during cancer treatment: A controlled clinical trial. *Pain*, 63(2), 189-198.
- Talton, C. W. (1995). Touch – of all kinds – is therapeutic. *RN*, 58(2), 61-64.
- Tasaki, K., Maskarinec, G., Shumay, D. M., Tatsumura, Y., & Kakai, H. (2002). Communication between physicians and cancer patients about complementary and alternative medicine: Exploring patients' perspectives. *Psycho-Oncology*, 11(3), 212-220.
- Trauger-Querry, B., & Haghghi, K.R. (1999). Balancing the focus: art and music therapy for pain control and symptom management in hospice care. *Hospice Journal*, 14(1), 25-38.
- Turk, D. C., & Feldman, C. S. (1992). Noninvasive approaches to pain control in terminal illness: The contribution of psychological variables. *Hospice Journal*, 8(1-2), 1-23.
- Turner, J. G., Clark, A. J., Gauthier, D. K., & Williams, M. (1998). The effect of therapeutic touch on pain and anxiety in burn patients. *Journal of Advanced Nursing*, 28(1), 10-20.
- Twycross, A. (1998). Dispelling modern day myths about children's pain. *Journal of Child Health Care*, 2(1), 31-35.
- Vallbona, C., & Richards, T. (1999). Evolution of magnetic therapy from alternative to traditional medicine. *Physical Medicine & Rehabilitation Clinics of North America*, 10(3), 729-754.
- Van Hook, E. (1998). Non-pharmacological treatment of headaches--why? *Clinical Neuroscience*, 5(1), 43-49.

Complementary Pain Management Bibliography 11

- Vernon, H. (2000). Qualitative review of studies of manipulation - induced hypoalgesia. *Journal of Manipulative & Physiological Therapeutics*, 23(2), 134-138.
- Vessey J.A., Carlson K.L., & McGill, J. (1994). Use of distraction with children during an acute pain experience. *Nursing Research*, 43(6), 369.
- Wardell, D. W., & Engebretson, J. (2001). Biological correlates of Reiki Touch(sm) healing. *Journal of Advance Nursing*, 33(4), 439-445.
- Weinrich, S.P., & Weinrich, M.C. (1990). The effect of massage on pain in cancer patients. *Applied Nursing Research*, 3(4),140-145.
- Weisenberg, M., Tepper, I., & Schwarzwald, J. (1995). Humor as a cognitive technique for increasing pain tolerance. *Pain*, 63(2), 207-212.
- Weissman, D.E. and Matson, S. (1999). Pain assessment and management in the long-term care setting. *Theoretical Medicine & Bioethics*, 20(1), 31-43.
- West, T. (1994). Psychological issues in hospice music therapy. *Music Therapy Perspectives*, 12(2), 117-124.
- White, A.R., & Ernst, E. (1999). A systematic review of randomized controlled trials of acupuncture for neck pain. *Rheumatology (Oxford)*, 38(2), 143-147.
- White, J. M. (2001). Music as intervention: A notable endeavor to improve patient outcomes. *Nursing Clinics of North America*, 36(1), 83-92.
- Wilkie, D. J., Kampell, J., Cutshall, S., Halabisky, H., Harmon, H., Johnson, L. P., et al. (2000). Effects of massage on pain intensity, analgesics and quality of life in patients with cancer pain: A pilot study of a randomized clinical trial conducted within hospice care and deliver. *The Hospice Journal*, 15(3), 31-53.
- Wilkinson, S. (1995). Aromatherapy and massage in palliative care. *Int. Journal of Palliative Nursing*, 1(1), 21-30.
- Wong, J.Y., & Rapson, L.M. (1999). Acupuncture in the management of pain of musculoskeletal and neurologic origin. *Physical Medicine & Rehabilitation Clinics of North America*, 10(3), 531-545, vii-viii.
- Yocum, D.E., Castro, W.L., & Cornett, M. (2000). Exercise, education, and behavioral modification as alternative therapy for pain and stress in rheumatic disease. *Rheumatic Diseases Clinics of North America*, 26(1),145-59.
- Zimmermann, L., Pozehl, B., Duncan, K., & Schmitz, R. (1989). Effects of music in patients with chronic cancer pain. *Western Journal of Nursing Research*, 11(3), 298-309.